

> PRINT > COPY > SCAN > FAX

TASKalfa 5003i TASKalfa 6003i

MONOCHROME MULTIFUNCTION PRODUCT FOR A4/A3 FORMAT

FULL FUNCTIONALITY DEPENDABLE AND VERSATILE



- Sharp image quality with real 1,200 x 1,200 dpi printing resolution.
- Quick first copy time in just 3.4 seconds and fast warm up time 17 seconds*.
- Standard 320GB hard disk capacity and 4GB RAM to meet heavy duty tasks without additional hard drive.
- Support A6 original scanning from Document Processor with fast dual scan speed up to 220/220 ipm A4 Mono/Color** to facilitate digitalization of document for easy storage and retrieval.
- Support SRA3 size (320mm x 450mm) & 300g/m2 paper from standard cassette.
- Allow Banner Print and Scan for easy in-house banner production.
- Semi auto self-closing paper cassette.
- Support different types of robust optional Finisher.

*For TASKAlfa 6003i

** When using optional Document Processor DP-7130



Born to be Extraordinary

KYOCERA Document Solutions is Extraordinary for


- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

Exceptional Reliability and Dependable

These new TASKalfa models are prominent for top reliability and productivity and to increase work efficiency. Support KYCOERA HyPAS-enabled solutions platform, these devices allow seamless integration with customized workflow solutions to streamline complex tasks, manage costs, and enforce high security.

Robust and Versatile Paper Handling Options for Your Choice






Striking Functionalities to boost Productivity and Work Efficiency at lower cost


- Program Shortcut: Streamline scan and copy workflows with shortcut keys and up to 50 job programs.
- Test Copy: Reduce miscopy when copying large volume by using the Test Copy mode.
- Duplex Preview: Display both front and back sides before printing (Copy/Box Print function).
- Skip Blank Page: Blank page is skipped during making scans/copies to save unnecessary cost.
- Dedicated Preset Copy Mode for Special Original Media: Newspaper Copy, Technical Drawing Copy, ID Copy.
- Prevent Bleed-thru: Remove unwanted background when copying or scanning printed double-sized thin paper (e.g. newspaper, NCR paper, and magazine).
- Carbon Copy: Print an additional copy or copies of a document from a different media source or using a different media type.
- Banner Send & Print: Scan and produce banner with various paper weight in-house anytime in need (One-sided only).



• Customize Scan Split: Scan by split at specified page and allow send all scan files via one email or send files separately by emails.




- USB Scan to/Direct Print: Scan to or print directly from USB Memory in PDF, PDF/A, TIFF, JPEG or XPS format.
- Scanned Image File Size Check: Check the actual scanned document size does not exceed limit before actual sending to e-mail.
- FTP/SMB/Email/Fax Multi-Sending: Send document to different destinations (email addresses, folders, etc.) in a single scan operation.



 Simple Fax Forwarding: Forward any incoming fax to other destinations by Email, SMB or FTP (Optional).




- i-FAX Sending (Optional): Send and receive i-FAX without the mail service by installing Direct SMTP function.
- Job Skip: Automatically prioritize the error print job to avoid machine come to a halt in case of



 Job Finish Notice: Send email notification to specified user when a copy/scan job is completed.





Key Features to Help Complete Tasks Easier and Faster

• Intuitive 10.1 Inch Color Touch Panel with Easy Navigation: Excellent clarity 10.1 inch color touch panel display with swivel type operability similar to smartphone and tablet and tiltable from 15 degree to 90 degree.



- Convenience to use Keypad: With on-screen virtual numeric keypad and optional hardware keypad, users can type in with ease.
- Customizable Home Screen: All commonly used functions and applications are set as default on Home Screen. The Home Screen can be customized easily to meet different user (or Group User) needs for immediate access to commonly used functions.
- Printer Driver's Quick Print Tab: Create and save frequently used custom profiles as graphic icons to allow programming of complex jobs in one click.
- Custom Box: Ease-of-use Custom Box provides long term job storage at device, allowing users to securely print and store jobs on the device and output them when required.
- Motion Detector: Detect people approaching MFP to wake up from Energy Saving Mode automatically and return to the Energy Saving Mode after job is completed.



• Semi auto self-closing cassettes: Cassettes auto drawing to close within 40mm.





Smart Business Applications for Mobile Devices to Enhance Mobility

- KYOCERA Capture Manager: A powerful document capturing software product that streamlines business workflow by digitizing documents. It enables to capture the documents from virtually any source from an MFP, network scanner, Web browser, Email, hot-folder and smartphone. Once documents are captured, and it goes through image processing, and those processed documents can be converted into a variety of formats, such as text searchable PDFs or Office format, and finally distribute to different business systems (Email, Folder, Cloud, DMS/ECM, ERP).
- KYOCERA Mobile Print: An app-based solution that enables users to simply and conveniently print documents, web pages, and images on demand from virtually anywhere, on their Apple and Android smartphone and tablet devices to select KYOCERA MFPs and printers. Users can also scan files and images from same MFPs to their mobile devices. Our devices also support AirPrint for iPhone and iPad.
- KYOCERA MyPanel: Use smartphone or tablet to connect a compatible networked KYOCERA printing device on your local Wi-Fi network wirelessly. Users can perform COPY/PRINT/SCAN from Custom Box or

Cloud## by mobile devices with personalize settings.

- KYOCERA Cloud Connect (Optional): Retrieve and print files in Google
 Drive and Evernote®, a cloud service provider, directly from any
 KYOCERA HyPAS-enabled MFPs. Users can even upload scanned files
 directly to Google Drive and Evernote® directly from the MFP,
 without going through a computer.
- Support WiFi Direct: Support IB-35 Wireless LAN (Optional), makes print/scan via AirPrint/Google Cloud Print/Mopria/KYOCERA Mobile Print/KYOCERA MyPanel much easier.
- NFC (Near Field Communication): Built-in at Control Panel to connect with Andriod devices.











Diverse Document Secure System and Business Applications for Advanced Security

- Password Protection Setting: Allow administrator to set Password Policy to limit user access to designated capacity.
- Private Print: Release print job at the device by entering a preset four-digit access code when making a print at KYOCERA KX Driver.
- With the aid of Network Authentication, IT Department can manage user authentication easily by incorporating with centralized Authentication Server (NTLM, Kerberos, KYOCERA Net Manager*).
- FAX Memory Overwrite (Optional): Erase FAX memory after sending or receiving for confidentiality.
- M-Files (Optional): Manage all information e.g. documents, projects and business processes etc and adds intelligence by combining it with information from other systems (like SharePoint, Salesforces and SAP).
 This ensures you always find what you need, no matter what system you are using.





• Security Watermark: Distinguish original from copies and provides protection for sensitive document against duplication.

* Optional

 KYOCERA Data Security Kit: Encrypt data before storing in the hard drive and automatically overwrite all data stored in the hard drive once you have finished printing, copying and scanning.



• Card Authentication Kit (Optional): Prevent unauthorized data access to device, manage and control usage with IC Card Authentication.



Design for energy savings

- Fast warm up: With the new IH fuser, the warm up time is shorter and power consumption is less.
- Weekly Timer: Allow administrator to preset the machine on and off time to maximize power savings.
- EcoPrint: Flexible EcoPrint setting to consume less energy and toner.

Protect the environment

- Leading Long-life KYOCERA proprietary Amorphous Silicon (a-Si) Drum (with a lifetime of 600,000 prints), developer and component parts to reduce waste.
- · Parts for Recycling.
- Non-toxic Materials.
- Quiet operation design for a comfortable Working Environment.
- Innovative black toner cartridge design with an expired one to be switched over for use as a waste toner container.







EcoLeaf Environmental Label (Japan)

Law on Promoting Green Purchasing (Japan)

KYOCERA Document Solutions has been actively promoting the acquisition of various environment labels, aiming to provide products that are safe and comfortable for our customers to use and have minimal environmental impact.



User-friendly Utilities and Applications to put Management and Control at Ease

Smart utilities for managed print and minimize related device management costs.

 KYOCERA Command Center RX: By web brower, authorized administrator access the built-in KYOCERA Command Center RX and check the operation status of the device, toner level, paper availability, as well as change settings related to security, network printing and advanced network setting etc.



• KYOCERA Net Manager (Optional): Protect confidential data, manage & control the overall output (copy/print/scan) and get detailed reports. Users can keep an overview of personal printing jobs with web browser. It greatly simplifies scanning processes as it automatically displays a set of personalized options.

By adding the Card Authetication Kit (Optional) for KYOCERA Net Manager, you are able to swipe ID Card to get print document directly. User administrator can also set the IC Cards to allow quick and secure access with pre-defined user restrictions such as color output restrictions and output quota.

• KYOCERA Net Viewer: A comprehensive network management tool used to monitor, maintain, and update up to 100 network printing devices locally and remotely. Through KYOCERA Net Viewer, administrators can simply install and update firmware on all KYOCERA connected devices while easily monitoring printed black/color pages, device configuration, accounting, toner usage, and alerts. By implementing KYOCERA Net Viewer, the manpower required to monitor connected devices is greatly reduced.





			Main Specifications
Adv. del			
Model			TASKalfa 5003i TASKalfa 6003i
Main Function			Copy, Print, Scan, Fax (Optional)
Writing Method CPU			Semiconductor Laser T1024 (Dual Core) 1.2GHz
Print Speed (A4)	(Mono)		50 cpm 60 cpm
Scanning Speed	DP-7100	Simplex	80/80 ipm
(A4) 300dpi	(Mono/Color)		48/48 ipm
Scanning Speed	DP-7110	Simplex	100/100 ipm
	Scan (Mono/Color)	Duplex	180/180 ipm
Scanning Speed (A4) 300dpi Dual	DP-7130	Simplex	120/120 ipm
Scan with Double		Duplex	220/220 ipm
Feed Detector Memory			Standard 4GB (Max. 4GB)
SSD/HDD Capacit	tv		SSD 8GB (Standard) / HDD 320GB (Standard)
HDD Data Security	•		Data Security Kit(F)
Warm Up Time	,		17 seconds
Paper Capacity	Standard		2 x 500 sheets (Cassette) + 150 sheets (MPT)
	Maximum		7,150 sheets (Main Unit + 2 x 1,500 sheets PF-7110 x1 + 3,000 sheets PF-7120 x1 + MPT)
Paper Size	Cassette		Min. A6R – Max. SRA3(320mm x 450mm); Cassette 1 Min. A6R – Max. A4R (Legal)
Danas Maiaht	MPT		Min. A6R – Max. SRA3(320mm x 450mm) & Banner Print of 1,220mm 52 – 300 g/m²
Paper Weight	Cassette MPT		52 = 300 g/m ²
Duplex Printing			52 = 300 g/m ² Paper size: A6R = SRA3(320mm x 450mm); Paper weight: 64 - 256 g/m ²
Output Capacity			Max. 500 sheets + 100 sheets face-down (with Inner Job Separator)
Control Panel			10.1 inch Color Touch LCD Panel
	D x H) (Main Unit)		602mm x 665mm x 790mm
Weight (Main Un			Approx. 83 kg
Power Consumpt (Standard			740W 870W
configuration)	Stand-by Mode	e	50W
Notes	Energy Saver		0.7W
Noise (ISO7779/ ISO929	Copy/Print Mo		71dB(A) 73dB(A)
(1307779) 130923	96) Stand-by Mode	e	35dB(A)
			Copy Functions (Standard)
Copy Size			Max. A3 (Legal) – Min. A6R
Resolution First Copy Time ((Mono)		600 x 600 dpi 3.7 seconds 3.4 seconds
Zoom Ratio	Manual		25% - 400% (1% per Step)
	Pre-defined		785E
Multiple Copy			1 – 9999
			Print Functions (Standard)
Resolution			1,200 × 1,200 dpi; 4,800 equivalent x 1,200 dpi level
PDL			PRESCRIBE, PCL6 (PCL-XL, PCL 5e), KPDL3 (Postscript 3 compatible), XPS, OpenXPS, PDF Direct Print Ver. 1.7
First Print Out Tir			4.3 seconds 3.8 seconds
Supported Protoc Operating System			TCP/IP, NetBEUI, FTP, Port 9100, LPR, IPP, IPP over SSL/TLS, WSD Print, Apple Bonjour Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2,
Operating System			
			Windows XP, Windows Vista, Windows 7, Windows 8, Windows 8.1;
			Apple Macintosh OS X 10.5 or later; Linux
Interface			Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1
USB Memory Prin	nting Format		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS
	nting Format		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print
USB Memory Printing	nting Format		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard)
USB Memory Printing Mobile Printing Color Selection	nting Format		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White
USB Memory Printing	nting Format		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard)
USB Memory Prin Mobile Printing Color Selection Resolution			Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/Gray); Auto Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200x400dpi, 200x400dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line)
USB Memory Printing Mobile Printing Color Selection Resolution File Format Image Type Mode Transmission Type	e		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T/1000BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan
USB Memory Prin Mobile Printing Color Selection Resolution File Format Image Type Model	e		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T/1000BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list)
USB Memory Printing Mobile Printing Color Selection Resolution File Format Image Type Mod Transmission Typ Address Storage	e		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T/1000BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list)
USB Memory Printing Mobile Printing Color Selection Resolution File Format Image Type Mode Transmission Typ Address Storage Original Size	e		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T/100BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200x400dpi, 200x400dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4)
USB Memory Printing Color Selection Resolution File Format Image Type Mode Transmission Typ Address Storage Original Size Coding Method	e Die		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T/100BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200x400dpi, 200x100dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4) MMR, MR, MH, JBIG
USB Memory Printing Mobile Printing Color Selection Resolution File Format Image Type Mode Transmission Typ Address Storage Original Size	e Die		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T/100BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200x400dpi, 200x400dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4)
USB Memory Printing Color Selection Resolution File Format Image Type Mod Transmission Typ Address Storage Original Size Coding Method Transmission Spe	e be		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/JO0BASE-T/JO0BASE-T, USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression/PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4) MMR, MR, MH, JBIG 33.6 kpbs
USB Memory Prit Mobile Printing Color Selection Resolution File Format Image Type Mod Transmission Typ Address Storage Original Size Coding Method Transmission Spe Memory	e be		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T/1000BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4) MMR, MH, JBIG 33.6 kpbs 12MB
USB Memory Prit Mobile Printing Color Selection Resolution File Format Image Type Mod Transmission Typ Address Storage Original Size Coding Method Transmission Spe Memory	e be		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T/1000BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4) MMR, MH, JBIG 33.6 kpbs 12MB Yes
USB Memory Print Mobile Printing Color Selection Resolution File Format Image Type Mod Transmission Typ Address Storage Original Size Coding Method Transmission Spe Memory DUAL FAX / Netw Toner Kit Maintenance Kit	eed vork FAX		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T/1000BASE-T, USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4) MMR, MR, MH, JBIG 33.6 kpbs 12MB Yes Consumables & Options TK-6329: 35,000 pages MK-6335: 600,000 pages
USB Memory Printing Color Selection Resolution File Format Image Type Mode Transmission Typ Address Storage Original Size Coding Method Transmission Spe Memory DUAL FAX / Netwo	eed vork FAX		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T/1000BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4) MMR, MH, JBIG 33.6 kpbs 12MB Yes Consumables & Options TK-6329: 35,000 pages DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type;
USB Memory Prit Mobile Printing Color Selection Resolution File Format Image Type Mod- Transmission Typ Address Storage Original Size Coding Method Transmission Spe Memory DUAL FAX / Netw Toner Kit Maintenance Kit Document Proce	eed vork FAX		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T/1000BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4) MMR, MR, MH, JBIG 33.6 kpbs 12MB Yes Consumables & Options TK-6329: 35,000 pages DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path Duplex Scanning Type with double paper feed detector
USB Memory Print Mobile Printing Color Selection Resolution File Format Image Type Mod Transmission Typ Address Storage Original Size Coding Method Transmission Spe Memory DUAL FAX / Netw Toner Kit Maintenance Kit	eed vork FAX		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T/1000BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4) MMR, MH, JBIG 33.6 kpbs 12MB Yes Consumables & Options TK-6329: 35,000 pages DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type;
USB Memory Prit Mobile Printing Color Selection Resolution File Format Image Type Mod- Transmission Typ Address Storage Original Size Coding Method Transmission Spe Memory DUAL FAX / Netw Toner Kit Maintenance Kit Document Proce	eed vork FAX		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T/100BASE-T/100BASE-T/100BASE-T/10BASE-T/100BASE-T/100BASE-T/10BASE-T/100BASE-T/10BASE-T/10BASE-T/10DBASE
USB Memory Print Mobile Printing Color Selection Resolution File Format Image Type Mod Transmission Typ Address Storage Original Size Coding Method Transmission Spe Memory DUAL FAX / Netw Toner Kit Maintenance Kit Document Proce	eed vork FAX		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/100BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) — Min. A6 (statement), Banner: 1,600 (A4) MMR, MR, MH, JBIG 33.6 kpbs 12MB Yes Consumables & Options TK-6329: 35,000 pages MK-6335: 600,000 pages DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path Duplex Scanning Type with double paper feed detector PF-7100: 500 sheets X2; PF-7110: 1,500 sheets X2 (A4/Letter); PF-7120: 3,000 sheets A2; PF-7110: 1,500 sheets Finisher; DF-7130: 4,000 sheets Finisher with 100 sheets Staple PH-7C: Punch Unit for DF-7100, MF-7310; PT-7100: 500 sheets Sinisher; DF-7110; DF-7120: 100 sheets Sinisher; DF-7110; DF-7120: 500 sheets Sinisher with 100 sheets Staple PH-7C: Punch Unit for DF-7100, MF-7300; TM Min Millox Sorter for DF-7110; DF-7120: 100 sheets Inner Finisher, DF-7110: DF-7120: 100 sheets Sinisher; DF-7110: 500 sheets Inner Finisher, DF-7120: 100 sheets Inner Finisher; DF-7120: 100 she
USB Memory Print Mobile Printing Color Selection Resolution File Format Image Type Mod Transmission Typ Address Storage Original Size Coding Method Transmission Spe Memory DUAL FAX / Netw Toner Kit Maintenance Kit Document Proce Paper Feeder Finisher	eed vork FAX		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/100BASE-TX, USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpl, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) — Min. A6 (statement), Banner: 1,600 (A4) MMR, MR, MH, JBIG 33.6 kpbs 12MB Yes Consumables & Options TK-6329: 35,000 pages MK-6339: 35,000 pages DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path Duplex Scanning Type with double paper feed detector PF-7100: 500 sheets x2; PF-7110: 1,500 sheets Sinisher; DF-7310: 4,000 sheets Finisher with 100 sheets Staple PH-7C: Punch Unit for DF-7110/ DF-7120: 190: 500 sheets Ininer Finisher; NF-7120: 1,000 sheets Finisher; DF-71310: 4,000 sheets Finisher; DF-7110; S-7100: 100 sheets Inner Finisher; NF-7120: 1,000 sheets Finisher; DF-7120: 500 sheets or DF-7110; S-7100: 100 sheets Inner Finisher; NF-7120: 1,000 sheets Finisher; DF-71200; FF-7120: 5-7100: 500 sheets Inner Finisher; NF-7120: 5-7100: 500 sheets Inner Finisher; NF-7120: 5-7100: 500 sheets Inner Finisher; DF-7120:
USB Memory Print Mobile Printing Color Selection Resolution File Format Image Type Mode Transmission Typ Address Storage Original Size Coding Method Transmission Spe Memory DUAL FAX / Netw Toner Kit Maintenance Kit Document Proce Paper Feeder Finisher Fax System Internet FAX Card Authenticat	e e e e e e e e e e e e e e e e e e e		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T, USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 200dpi, 200dpi, 200x400dpi, 200x100dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) — Min. A6 (statement), Banner: 1,600 (A4) MMR, MR, MH, JBIG 33.6 kpbs 12MB Yes Consumables & Options TK-6329: 35,000 pages MK-6335: 600,000 pages MK-6335: 600,000 pages DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path Duplex Scanning Type with double paper feed detector PF-7100: 500 sheets large capacity slide deck (A4/Letter); PF-7120: 3,000 sheets large capacity slide deck (A4/Letter); PF-7120: 3,000 sheets large capacity slide deck (A4/Letter); PF-7100: FP-7110: FP-7120: 1,000 sheets Finisher; DF-7130: 4,000 sheets Finisher with 100 sheets Staple PH-7C: Punch Unit for DF-7110; DF-7120/DP-7130: PH-710: PR-7130: SH-10: Staple for DF-7100/DF-7120/BF-730; SH-12: Staple for DF-7110; SH-14: Staple for DF-7130: FAX System 12 Internet FAX Kit(A) Card Authentication Kit(B) AC
USB Memory Print Mobile Printing Color Selection Resolution File Format Image Type Mod Transmission Typ Address Storage Original Size Coding Method Transmission Spe Memory DUAL FAX / Netw Toner Kit Maintenance Kit Document Proce Paper Feeder Finisher Fax System Internet FAX Card Authenticat Gigabit Ethernet	e be		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/JODBASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x400dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4) MMR, MR, MH, JBIG 33.6 kpbs 12MB Yes Consumables & Options TK-6329: 35,000 pages MK-6335: 600,000 pages MK-6335: 600,000 pages DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path Duplex Scanning Type with double paper feed detector PF-7100: 500 sheets x2; PF-7110: 1,500 sheets x2 (A4/Letter); PF-7100: 500 sheets x2; PF-7110: 1,500 sheets x2 (A4/Letter); PF-7100: 500 sheets X2; PF-7110: 1,500 sheets x2 (A4/Letter); PF-7100: 500 sheets X2; PF-7110: 4,000 sheets Finisher; DF-7130: 4,000 sheets Finisher with 100 sheets Staple PH-7: Punch Unit for DF-7110; PF-7120: 79, Sheets Finisher; DF-7130: 570; Sheets Innisher; DF-71
USB Memory Print Mobile Printing Color Selection Resolution File Format Image Type Mod Transmission Typ Address Storage Original Size Coding Method Transmission Spe Memory DUAL FAX / Netw Toner Kit Maintenance Kit Document Proce Paper Feeder Finisher Fax System Internet FAX Card Authenticat Gigabit Ethernet Wireless LAN Internet Finisher	e be		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AlPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4) MMR, MR, MH, JBIG 3.3.6 kpbs 12MB Yes Consumables & Options TK-6329: 35,000 pages MK-6335: 600,000 pages MK-6335: 600,000 pages MK-6335: 600,000 pages DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path Duplex Scanning Type with double paper feed detector PF-7100: 500 sheets raz; PF-7110: 1,500 sheets x2 (A4/Letter); PF-7120: 3,000 sheets raz; PF-7110: 1,500 sheets PR-7130: 4,000 sheets Finisher; with 100 sheets Staple PH-7C: Punch Unit for DF-7110; BF-910: Booklet Folder for DF-7110; SF-100: 190 sheets Inner Inisher; AK-7110: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7130: 510 SH-12: Staple for DF-7110; SF-100: 100 sheets Inner Inisher; AK-7110: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7130: FI-710: Staple for DF-7110; SF-100: 100 sheets Inner Inisher; AK-7110: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7130: FI-7130: 5100: 5100 sheets Inner Inisher; AK-7110: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7130: FI-7130: 5100: 5100 sheets Inner Inisher; DF-7130: 5100 sheets
USB Memory Print Mobile Printing Color Selection Resolution File Format Image Type Mod Transmission Typ Address Storage Original Size Coding Method Transmission Spe Memory DUAL FAX / Netw Toner Kit Maintenance Kit Document Proce Paper Feeder Finisher Fax System Internet FAX Card Authenticat Gigabit Ethernet Wireless LAN Inte Embedded OCR	e e e e e e e e e e e e e e e e e e e		Apple Macintosh OS x 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T/100BASE-T/10BASE-T
USB Memory Print Mobile Printing Color Selection Resolution File Format Image Type Mod Transmission Typ Address Storage Original Size Coding Method Transmission Spe Memory DUAL FAX / Netw Toner Kit Maintenance Kit Document Proce Paper Feeder Finisher Fax System Internet FAX Card Authenticat Gigabit Ethernet Wireless LAN Internet Finisher	e e e e e e e e e e e e e e e e e e e		Apple Macintosh OS X 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AlPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4) MMR, MR, MH, JBIG 3.3.6 kpbs 12MB Yes Consumables & Options TK-6329: 35,000 pages MK-6335: 600,000 pages MK-6335: 600,000 pages MK-6335: 600,000 pages DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path Duplex Scanning Type with double paper feed detector PF-7100: 500 sheets raz; PF-7110: 1,500 sheets x2 (A4/Letter); PF-7120: 3,000 sheets raz; PF-7110: 1,500 sheets PR-7130: 4,000 sheets Finisher; with 100 sheets Staple PH-7C: Punch Unit for DF-7110; BF-910: Booklet Folder for DF-7110; SF-100: 190 sheets Inner Inisher; AK-7110: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7130: 510 SH-12: Staple for DF-7110; SF-100: 100 sheets Inner Inisher; AK-7110: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7130: FI-710: Staple for DF-7110; SF-100: 100 sheets Inner Inisher; AK-7110: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7130: FI-7130: 5100: 5100 sheets Inner Inisher; AK-7110: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7130: FI-7130: 5100: 5100 sheets Inner Inisher; DF-7130: 5100 sheets
USB Memory Print Mobile Printing Color Selection Resolution File Format Image Type Mod-Transmission Typ Address Storage Original Size Coding Method Transmission Spe Memory DUAL FAX / Netwood Transmission Spe Memory Toner Kit Maintenance Kit Document Proce Paper Feeder Finisher Fax System Internet FAX Card Authenticat Gigabit Ethernet Wireless LAN Inte Embedded OCR Banner Paper Fee	e e e e e e e e e e e e e e e e e e e		Apple Macintosh OS x 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/100BASE-TX/10SB Host Interface (USB Host)x4; NFC TAGx1 TIFF, IPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200dpi, 200dx10dpi, 200x100dpi TIFF, IPEG, XPS, OpenXPS, PDF (MMR/IPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSt; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) — Min. A6 (statement), Banner: 1,600 (A4) MMR, MB, MH, JBIG 33.6 kpbs 12MB Yes Consumables & Options TK-6329: 35,000 pages MK-6335: 600,000 pages DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path Duplex Scanning Type with double paper feed detector PF-7100: 500 sheets x [PF-7110: 1500 sheets x 2] expert (Left;); PF-7100: 500 sheets x [PF-7110: 1500 sheets x 2] expert (Left;); PF-710: 500 sheets x [PF-7110: 1500 sheets x 2] expert (Left;); PF-710: 500 sheets x [PF-7110: 1500 sheets x 2] expert (Left;); PF-710: 500 sheets x [PF-7110: 1500 sheets x 2] expert (Left;); PF-710: 500 sheets x [PF-7110: 1500 sheets x 2] expert (Left;); PF-710: 500 sheets x [PF-7110: 1500 sheets x 2] expert (Left;); PF-710: 500 sheets x [PF-7110: 1500 sheets x 2] expert (Left;); PF-710: 500 sheets x [PF-7110: 1500 sheets x 2] expert (Left;); PF-710: 500 sheets x [PF-7110: 1500 sheets x 2] expert (Left;); PF-710: 500 sheets x [PF-7110: 1500 sheets x 2] expert (Left;); PF-710: 500 sheets x [PF-7110: 1500 sheets x 2] expert (Left;); PF-710: 500 sheets x [PF-7110: 1500 sheets x 2] expert (Left;); PF-710: 500 sheets x [PF-7110: 1500 sheets x 2] expert (Left;); PF-710: 500 sheets x [PF-7110: 1500 sheets x 2] expert (Left;); PF-71
USB Memory Printing Color Selection Resolution File Format Image Type Mod Transmission Typ Address Storage Original Size Coding Method Transmission Spe Memory DUAL FAX / Netw Toner Kit Maintenance Kit Document Proce Paper Feeder Finisher Fax System Internet FAX Card Authenticat Gigabit Ethernet Wireless LAN Inte Embedded OCR Banner Paper Fee Numeric Key Pad	eed work FAX sssor dion Board erface eeding Guide		Apple Macintosh OS x 10.5 or later; Linux USB 2.0 High Speedx1; Ethernet 10BASE-T/1000BASE-TX, 1008 Host Interface (USB Host)x4; NFC TAGx1 TIFF, JPEG, PDF, XPS AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Auto Color (Color/Gray); Auto Color (Color/BxW); Full Color; Grayscale; Black & White 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG Gompression PHB)r-Ompression PHB, PopFA, Encrypted PDF, Searchable PDF (Optional) Text, Photo, Text + Photo, Text (Fine Line) Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Max. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4) MMR, MM, Blig 3.3.6 kpbs 12MB Yes Consumables & Options TK-6329: 35,000 pages MK-6335: 600,000 pages DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path Duplex Scanning Type with double paper feed detector PF-7100: 500 sheets x2; PF-7110: 1,500 sheets x2 (A4/Letter): PF-7100: 500 sheets x2; PF-7110: 1,500 sheets x2 (A4/Letter) DF-7100: 500 sheets Inner Finisher; AK-7110: Attachment Kit, DF-7120: 4,000 sheets Finisher; DF-7130: 4,000 sheets Finisher with 100 sheets Staple PH-7C: Nurch Unit for DF-7110; PF-7120: 4,000 sheets Finisher; DF-7130: 4,000 sheets Finisher with 100 sheets Staple PH-7C: Nurch Unit for DF-7110; MF-730B; P Bin Mailbox Sorter for DF-7110; SF-710: 140 sheets Inner Job Separator; BF-730: Booklet Folder for DF-7110; BF-9100: Booklet Folder for DF-7130; MF-730B; P Bin Mailbox Sorter for DF-7110; SF-710: Staple for DF-7130 Fax System 12 Internet FAX Kit(A) Card Authentication Kit(B) AC IB-30 (Baner Guide 10 NK-7120





KYOCERA Document Solutions India Pvt. Ltd.
Second Floor, Centrum Plaza, Sector-53,
Golf Course Road, Gurgaon – 122002 (Haryana), India
Tel: +91-124-4671000 Fax: +91-124-4671001 www.kyoceradocumentsolutions.co.in

*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

KYOCERA Business Partner